



January 18, 2022 VIA EMAIL

Mr. Mike Triggs
General Counsel and Corporate Secretary
Manitoba Public Insurance Corporation
702 - 234 Donald Street
P.O. Box 6300, Stn. Main
Winnipeg, MB R3C 4A4

-and-

2022 GRA Interveners of Record (per attached list)

Re: MPI Application for Review and Variance of Order 134/21

The Board acknowledges receipt of MPI's application for a review and variance of Order 134/21, filed on January 14, 2022.

Rule 36(4) of the Board's Rules of Practice and Procedure provides that, upon receipt of an application for review and variance, the Board shall determine the preliminary question of whether the matter should be reviewed and whether there is reason to believe the order or decision should be rescinded, changed, altered or varied. The Board hereby requests that Interveners of Record provide their written responses to MPI's application, following which the Board will decide this preliminary question.

Responses from Interveners are to be filed with the Board no later than **Monday**, **January 31**, **2022**. MPI's reply, if any, is to be filed with the Board no later than **Monday**, **February 7**, **2022**.

After deciding the preliminary question, pursuant to Rule 36(5), the Board may dismiss the application, grant the application, or order that a hearing or other proceeding be held.

Email: publicutilities@gov.mb.ca
Website: www.pubmanitoba.ca

Téléc. 945-2643

Courriel: publicutilities@gov.mb.ca **Site Web:** www.pubmanitoba.ca

Pursuant to section 56 of *The Public Utilities Board Act*, the costs of and incidental to MPI's application are in the discretion of the Board. Accordingly, all parties are advised that the Board will make a determination as to whether costs are payable by any party, and the amount payable, following its decision on this application.

Yours truly,

Darren Christle, PhD, CCLP, P.Log., MCIT Secretary/ Executive Director

DC/kls

cc. Steve Scarfone and Anthony Lafontaine Guerra, MPI
Kathleen McCandless, Robert Watchman and Kara Moore, Board Counsel